

## Mathematics Standards Catalina Foothills School District Math 6 Accelerated

## Math 6 Accelerated: Overview

- 1. Develop competency of division of whole numbers and fractions and extend the notion of number to the system of rational numbers.
- 2. Develop understanding of proportional relationships and use multiplicative reasoning to solve ratio and rate problems.
- 3. Develop understanding of expressions, equations and inequalities.
- (1) Students develop fluency with division of whole numbers and extend their understanding to division of fractions. Students extend their previous understandings of number and the ordering of numbers to the system of rational numbers, which includes integers and negative fractions with denominators of 2, 3, 4, 5, 10. They reason about the order and absolute value of rational numbers and about the location of points in all four quadrants of the coordinate plane.
  - Students extend addition, subtraction, multiplication, and division to all rational numbers, maintaining the properties of operations and the relationships between addition and subtraction, and multiplication and division.
- (2) Students use multiplicative reasoning to solve ratio and rate problems. This extends their knowledge of multiplication, division, and fractions as the foundation for proportional reasoning. Students utilize multiple types of representations to demonstrate their understanding of the relationship between two quantities represented in a ratio or rate.
  - Students extend their understanding of ratios and rates to develop understanding of proportionality to solve single- and multi-step problems. They distinguish proportional relationships as the foundation for rate of change.
- (3) Students understand the use of variables in mathematical expressions. They write expressions and equations that correspond to given situations, evaluate expressions, and use expressions and formulas to solve problems. Students understand that expressions in different forms can be equivalent, and they use the properties of operations to rewrite expressions in equivalent forms. Students know that the solutions of an equation are the values of the variables that make the equation true. Students use properties of operations and the idea of maintaining the equality of both sides of an equation to solve simple one-step equations. Students construct and analyze tables, such as tables of quantities that are in equivalent ratios, and they use equations (such as 3x = y) to describe relationships between quantities.

The Standards for Mathematical Practice complement the content standards so that students increasingly engage with the subject matter as they grow in mathematical maturity and expertise throughout the elementary, middle, and high school years.

## **Standards for Math 6 Accelerated**

Ratios and P	roportional Relationships (RP)
6.RP.A.1	Understand the concept of a ratio as comparing two quantities multiplicatively or joining/composing the two quantities in a way that preserves a multiplicative relationship. Use ratio language to describe a ratio relationship between two quantities (for example: There were 2/3 as many men as women at the concert).
7.RP.A.1	Compute unit rates associated with ratios of fractions, including ratios of lengths, areas and other quantities measured in like or different units.
6.RP.A.2	Understand the concept of a unit rate $a/b$ associated with a ratio $a$ : $b$ with $b \ne 0$ , and use rate language (e.g., for every, for each, for each 1, per) in the context of a ratio relationship.
7.RP.A.2	Recognize and represent proportional relationships between quantities.  Represent proportional relationships by equations (for example, if total cost t is proportional to the number n of items purchased at a constant price p, the relationship between the total cost and the number of items can be expressed as t = pn).
6.RP.A.3  The Number	Use ratio and rate reasoning to solve mathematical problems and problems in real-world context (e.g., by reasoning about data collected from measurements, tables of equivalent ratios, tape diagrams, double number line diagrams, or equations).  a. Make tables of equivalent ratios relating quantities with whole-number measurements, find missing values in the tables, and plot the pairs of values on the coordinate plane. Use tables to compare ratios.  b. Solve unit rate problems including those involving unit pricing and constant speed.  c. Find a percent of a quantity as a rate per 100 (e.g., 30% of a quantity means 30/100 times the quantity). Solve percent problems with the unknown in all positions of the equation.  d. Use ratio reasoning to convert measurement units; manipulate and transform units appropriately when multiplying or dividing quantities.  System (NS)
THE NUMBER	
6.NS.A.1	Interpret and compute quotients of fractions to solve mathematical problems and problems in real-world context involving division of fractions by fractions using visual fraction models and equations to represent the problem (for example: create a story context for $2/3 \div 3/4$ and use a visual fraction model to show the quotient; use the relationship between multiplication and division to explain that $2/3 \div 3/4 = 8/9$ because $3/4$ of $8/9$ is $2/3$ . In general, $a/b \div c/d = ad/bc$ ).
7.NS.A.1	<ul> <li>Add and subtract integers and other rational numbers; represent addition and subtraction on a horizontal or vertical number line diagram.</li> <li>a. Describe situations in which opposite quantities combine to make 0.</li> <li>b. Understand p + q as the number located a distance  q  from p, in the positive or negative direction depending on whether q is positive or negative. Show that a number and its opposite have a sum of 0 (are additive inverses). Interpret sums of rational numbers by describing real-world contexts.</li> <li>c. Understand subtraction of rational numbers as adding the additive inverse, p - q = p + (-q). Show that the distance between two rational numbers on the number line is the absolute value of their difference, and apply this principle in real-world contexts.</li> <li>d. Apply properties of operations as strategies to add and subtract rational numbers.</li> </ul>
7.NS.A.2	Apply and extend previous understandings of multiplication and division and of fractions to multiply and divide rational numbers.  a. Understand that multiplication is extended from fractions to rational numbers by requiring that operations continue to satisfy the properties of operations, particularly the distributive property, leading to products such as (-1)(-1) = 1 and the rules for multiplying signed numbers. Interpret products of rational numbers by describing real-world contexts.

	b. Understand that integers can be divided, provided that the divisor is not zero, and every quotient of
	integers (with non-zero divisor) is a rational number. If $p$ and $q$ are integers, then $-(p/q) = (-p)/q =$
	P/(-q). Interpret quotients of rational numbers by describing real-world contexts.
	c. Apply properties of operations as strategies to multiply and divide rational numbers.
	d. Convert a rational number to a decimal using long division; know that the decimal form of a rational
	number terminates in 0s or eventually repeats.
	Solve mathematical problems and problems in real-world context involving the four operations with rational
7.NS.A.3	numbers. Computations with rational numbers extend the rules for manipulating fractions to complex
	fractions where $a/b \div c/d$ when $a,b,c$ , and $d$ are all integers and $b,c$ , and $d$ are not 0.
6.NS.B.2	Fluently divide multi-digit numbers using a standard algorithm.
6.NS.B.3	Fluently add, subtract, multiply, and divide multi-digit decimals using a standard algorithm for each
0.110.5.0	operation.
	Use previous understanding of factors to find the greatest common factor and the least common multiple.
	a. Find the greatest common factor of two whole numbers less than or equal to 100.
6.NS.B.4	b. Find the least common multiple of two whole numbers less than or equal to 12.
0	c. Use the distributive property to express a sum of two whole numbers 1 to 100 with a common factor
	as a multiple of a sum of two whole numbers with no common factor (for example: express 36 + 8 as
	4(9+2)).
0.110.0.5	Understand that positive and negative numbers are used together to describe quantities having opposite
6.NS.C.5	directions or values. Use positive and negative numbers to represent quantities in real-world context,
	explaining the meaning of 0 in each situation.
	Understand a rational number can be represented as a point on the number line. Extend number line
	diagrams and coordinate axes familiar from previous grades to represent points on the line and in the
	plane with negative number coordinates.
	a. Recognize opposite signs of numbers as indicating locations on opposite sides of 0 on the number
6.NS.C.6	line; recognize that the opposite of the opposite of a number is the number itself and that 0 is its own
0.145.0.0	opposite.
	b. Understand signs of numbers in ordered pairs as indicating locations in quadrants of the coordinate plane; recognize that when two ordered pairs differ only by signs, the locations of the points are
	related by reflections across one or both axes.
	c. Find and position integers and other rational numbers on a horizontal or vertical number line
	diagram; find and position pairs of integers and other rational numbers on a coordinate plane.
	Understand ordering and absolute value of rational numbers.
	a. Interpret statements of inequality as statements about the relative position of two numbers on a
	number line.
	b. Write, interpret, and explain statements of order for rational numbers in real-world context.
6.NS.C.7	c. Understand the absolute value of a rational number as its distance from 0 on the number line;
	interpret absolute value as magnitude for a positive or negative quantity in real-world context.
	d. Distinguish comparisons of absolute value from statements about order in mathematical problems
	and problems in real-world context.
	Solve mathematical problems and problems in real-world context by graphing points in all four quadrants
6.NS.C.8	of the coordinate plane. Include use of coordinates and absolute value to find distances between points
	with the same first coordinate or the same second coordinate.
Expressions	and Equations (EE)
6.EE.A.1	Write and evaluate numerical expressions involving whole-number exponents.
6.EE.A.2	Write, read, and evaluate algebraic expressions.
	a. Write expressions that record operations with numbers and variables.

coefficient); view one or more parts of an expression as a single entity.  c. Evaluate expressions given specific values of their variables. Include expressions that arise from formulas used to solve mathematical problems and problems in real-world context. Perform arithmetic operations, including those involving whole-number exponents, in the conventional order when there are no parentheses to specify a particular order (Order of Operations).  Apply the properties of operations to generate equivalent expressions (for example: apply the distributive property to the expression 3 (2 + x) to produce the equivalent expression 5 (+ 2x). Identify when two expressions are equivalent (for example: the expressions of + 2x). Understand solving an equation or inequality are used in the mater of the qualify or inequality are used in the mater hat equation or inequality true. Use variables to represent numbers and write expressions when solving mathematical problems and problems in real-world context; understand that a variable can represent an unknown number or any number in a specified set.  Solve mathematical problems and problems in real-world context by writing and solving equations of the form x + p = q, x - p = q, pa = q, and x/p = q for cases in which p, q and x are all non-negative rational numbers.  6.EE.0.9  Find the area of right triangles, other triangles, special quadrilaterals, and polygons by composing into rectangles or decomposing into treat-world context. Write an equation to express one quantity (the dependent variable) in terms of the other quantity (the independent variable). Analyze the relationship between the appropriate unit fraction edge lengths, and show that the volume is the same as would be found by multipying the edge lengths of the prism. Understand and use the formula ∀ = B · h, where in this case, B is the area of the base (B = 1 k w) to find volumes of right rectangles and trian		b. Identify parts of an expression using mathematical terms (sum, term, product, factor, quotient, and
property to the expression 3 (2 + x) to produce the equivalent expression 6 + 3x).  6.EE.A.4 Identify when two expressions are equivalent (for example: the expressions y + y + y and 3y are equivalent because they name the same number regardless of which number y stands for).  Understand solving an equation or inequality as a process of reasoning to find the value(s) of the variables that make that equation or inequality true. Use substitution to determine whether a given number in a specified set makes an equation or inequality true.  Use variables to represent numbers and write expressions when solving mathematical problems and problems in real-world context, understand that a variable can represent an unknown number or any number in a specified set.  Solve mathematical problems and problems in real-world context by writing and solving equations of the form x + p = q, x - p = q, px = q, and x/p = q for cases in which p, q and x are all non-negative rational numbers.  Write an inequality of the form x > c, x < c, x ≥ c, or x ≤ c to represent a constraint or condition to solve mathematical problems and problems in real-world context. Recognize that inequalities have infinitely many solutions; represent solutions of such inequalities on number lines.  Use variables to represent two quantities that change in relationship to one another to solve mathematical problems and problems in real-world context. Write an equation to express one quantity (the dependent variable) in terms of the other quantity (the independent variable). Analyze the relationship between the dependent and independent variables using graphs and tables, and relate these to the equation.  Geometry (G)  Find the area of right triangles, other triangles, special quadrilaterals, and polygons by composing into rectangles or decomposing into triangles and other shapes, apply these techniques to solve mathematical problems and problems in real-world context.  Find the volume of a right rectangular prism with fractional edge lengths by packing it with		coefficient); view one or more parts of an expression as a single entity.  c. Evaluate expressions given specific values of their variables. Include expressions that arise from formulas used to solve mathematical problems and problems in real-world context. Perform arithmetic operations, including those involving whole-number exponents, in the conventional order
because they name the same number regardless of which number y stands for).  Understand solving an equation or inequality as a process of reasoning to find the value(s) of the variables that make that equation or inequality true. Use substitution to determine whether a given number in a specified set makes an equation or inequality true.  Use variables to represent numbers and write expressions when solving mathematical problems and problems in real-world context, understand that a variable can represent an unknown number or any number in a specified set.  Solve mathematical problems and problems in real-world context by writing and solving equations of the form x + p = q, x - p = q, px = q, and x/p = q for cases in which p, q and x are all non-negative rational numbers.  Write an inequality of the form x > c, x < c, or x ≤ c, or x ≤ c to represent a constraint or condition to solve mathematical problems and problems in real-world context. Recognize that inequalities have infinitely many solutions; represent solutions of such inequalities on number lines.  Use variables to represent two quantities that change in relationship to one another to solve mathematical problems and problems in real-world context. Write an equation to express one quantity (the dependent variable) in terms of the other quantity (the independent variable). Analyze the relationship between the dependent and independent variables using graphs and tables, and relate these to the equation.  Geometry (6)  Find the area of right triangles, other triangles, special quadrilaterals, and polygons by composing into rectangles or decomposing into triangles and other shapes; apply these techniques to solve mathematical problems and problems in real-world context.  Find the volume of a right rectangular prism with fractional edge lengths by packing it with unit cubes of the appropriate unit fraction edge lengths, and show that the volume is the same as would be found by multiplying the edge lengths of the prism. Understand and use the formula V = B ·	6.EE.A.3	
<ul> <li>6.EE.B.5 that make that equation or inequality true. Use substitution to determine whether a given number in a specified set makes an equation or inequality true.</li> <li>6.EE.B.6 Use variables to represent numbers and write expressions when solving mathematical problems and problems in real-world context; understand that a variable can represent an unknown number or any number in a specified set.</li> <li>6.EE.B.7 Solve mathematical problems and problems in real-world context by writing and solving equations of the form x + p = q, x - p = q, px = q, and x/p = q for cases in which p, q and x are all non-negative rational numbers.</li> <li>6.EE.B.8 Write an inequality of the form x &gt; c, x &lt; c, x ≥ c, or x ≤ c to represent a constraint or condition to solve mathematical problems and problems in real-world context. Recognize that inequalities have infinitely many solutions; represent solutions of such inequalities on number lines.</li> <li>6.EE.C.9 Use variables to represent two quantities that change in relationship to one another to solve mathematical problems and problems in real-world context. Write an equation to express one quantity (the dependent variable) in terms of the other quantity (the independent variables, analyze the relationship between the dependent and independent variables using graphs and tables, and relate these to the equation.</li> <li>6.G.A.1 Find the area of right triangles, other triangles, special quadrilaterals, and polygons by composing into rectangles or decomposing into triangles and other shapes; apply these techniques to solve mathematical problems and problems in real-world context.</li> <li>6.G.A.2 Find the volume of a right rectangular prism with fractional edge lengths by packing it with unit cubes of the appropriate unit fraction edge lengths, and show that the volume is the same as would be found by multiplying the edge lengths of the prism. Understand and use the formula V = B · h, where in this case, B is the area of the base (B × I × w) to find volumes of righ</li></ul>	6.EE.A.4	
one of the series of the other quantities that change in relationship to one another to solve mathematical problems in real-world context by writing and solving equations of the form x + ρ = q, x - ρ = q, ρx = q, and x/ρ = q for cases in which ρ, q and x are all non-negative rational numbers.  Write an inequality of the form x > c, x < c, or x ≤ c to represent a constraint or condition to solve mathematical problems and problems in real-world context. Recognize that inequalities have infinitely many solutions; represent solutions of such inequalities on number lines.  Use variables to represent two quantities that change in relationship to one another to solve mathematical problems and problems in real-world context. Write an equation to express one quantity (the dependent variable) in terms of the other quantity (the independent variable). Analyze the relationship between the dependent and independent variables using graphs and tables, and relate these to the equation.  Geometry (G)  Find the area of right triangles, other triangles, special quadrilaterals, and polygons by composing into rectangles or decomposing into triangles and other shapes; apply these techniques to solve mathematical problems and problems in real-world context.  Find the volume of a right rectangular prism with fractional edge lengths by packing it with unit cubes of the appropriate unit fraction edge lengths, and show that the volume is the same as would be found by multiplying the edge lengths of the prism. Understand and use the formula V = B · h, where in this case, B is the area of the base (B = I x w) to find volumes of right rectangular prisms with fractional edge lengths in mathematical problems and problems in real-world context.  Care problems are problems and problems in a real-world context.  Represent three-dimensional figures using nets made up of rectangles and triangles, and use the nets to find the surface area of these figures. Apply these techniques to solve mathematical problems and problems in real-world context.	6.EE.B.5	that make that equation or inequality true. Use substitution to determine whether a given number in a
6.EE.B.7 form <i>x</i> + <i>p</i> = <i>q</i> , <i>x</i> - <i>p</i> = <i>q</i> , <i>px</i> = <i>q</i> , and <i>x/p</i> = q for cases in which <i>p</i> , <i>q</i> and <i>x</i> are all non-negative rational numbers.  Write an inequality of the form <i>x</i> > <i>c</i> , <i>x</i> < <i>c</i> , <i>x</i> ≥ <i>c</i> , or <i>x</i> ≤ <i>c</i> to represent a constraint or condition to solve mathematical problems and problems in real-world context. Recognize that inequalities have infinitely many solutions; represent solutions of such inequalities on number lines.  Use variables to represent two quantities that change in relationship to one another to solve mathematical problems and problems in real-world context. Write an equation to express one quantity (the dependent variable) in terms of the other quantity (the independent variable). Analyze the relationship between the dependent and independent variables using graphs and tables, and relate these to the equation.  Geometry (G)  Find the area of right triangles, other triangles, special quadrilaterals, and polygons by composing into rectangles or decomposing into triangles and other shapes; apply these techniques to solve mathematical problems and problems in real-world context.  Find the volume of a right rectangular prism with fractional edge lengths by packing it with unit cubes of the appropriate unit fraction edge lengths, and show that the volume is the same as would be found by multiplying the edge lengths of the prism. Understand and use the formula <i>V</i> = <i>B</i> · <i>h</i> , where in this case, <i>B</i> is the area of the base ( <i>B</i> = 1 x w) to find volumes of right rectangular prisms with fractional edge lengths in mathematical problems and problems in real-world context.  Draw polygons in the coordinate plane given coordinates for the vertices; use coordinates to find the length of a side joining points with the same first coordinate or the same second coordinate. Apply these techniques to solve mathematical problems and problems in a real-world context.  Represent three-dimensional figures using nets made up of rectangles and triangles, and use the nets to find the surface area	6.EE.B.6	problems in real-world context; understand that a variable can represent an unknown number or any
mathematical problems and problems in real-world context. Recognize that inequalities have infinitely many solutions; represent solutions of such inequalities on number lines.  Use variables to represent two quantities that change in relationship to one another to solve mathematical problems and problems in real-world context. Write an equation to express one quantity (the dependent variable) in terms of the other quantity (the independent variable). Analyze the relationship between the dependent and independent variables using graphs and tables, and relate these to the equation.  Geometry (G)  Find the area of right triangles, other triangles, special quadrilaterals, and polygons by composing into rectangles or decomposing into triangles and other shapes; apply these techniques to solve mathematical problems and problems in real-world context.  Find the volume of a right rectangular prism with fractional edge lengths by packing it with unit cubes of the appropriate unit fraction edge lengths, and show that the volume is the same as would be found by multiplying the edge lengths of the prism. Understand and use the formula $V = B \cdot h$ , where in this case, $B \in A$ is the area of the base ( $B = I \times w$ ) to find volumes of right rectangular prisms with fractional edge lengths in mathematical problems and problems in real-world context.  Draw polygons in the coordinate plane given coordinates for the vertices; use coordinates to find the length of a side joining points with the same first coordinate for the same second coordinate. Apply these techniques to solve mathematical problems and problems in a real-world context.  Represent three-dimensional figures using nets made up of rectangles and triangles, and use the nets to find the surface area of these figures. Apply these techniques to solve mathematical problems and problems in real-world context.  Statistics and Probability (SP)  Recognize a statistical question as one that anticipates variability in the data related to the question and accounts for variability	6.EE.B.7	form $x + p = q$ , $x - p = q$ , $px = q$ , and $x/p = q$ for cases in which $p$ , $q$ and $x$ are all non-negative rational
problems and problems in real-world context. Write an equation to express one quantity (the dependent variable) in terms of the other quantity (the independent variable). Analyze the relationship between the dependent and independent variables using graphs and tables, and relate these to the equation.  Geometry (G)  6.G.A.1 Find the area of right triangles, other triangles, special quadrilaterals, and polygons by composing into rectangles or decomposing into triangles and other shapes; apply these techniques to solve mathematical problems and problems in real-world context.  Find the volume of a right rectangular prism with fractional edge lengths by packing it with unit cubes of the appropriate unit fraction edge lengths, and show that the volume is the same as would be found by multiplying the edge lengths of the prism. Understand and use the formula $V = B \cdot h$ , where in this case, $B \cdot h$ is the area of the base ( $B = I \times w$ ) to find volumes of right rectangular prisms with fractional edge lengths in mathematical problems and problems in real-world context.  Draw polygons in the coordinate plane given coordinates for the vertices; use coordinates to find the length of a side joining points with the same first coordinate or the same second coordinate. Apply these techniques to solve mathematical problems and problems in a real-world context.  Represent three-dimensional figures using nets made up of rectangles and triangles, and use the nets to find the surface area of these figures. Apply these techniques to solve mathematical problems and problems in real-world context.  Statistics and Probability (SP)  Recognize a statistical question as one that anticipates variability in the data related to the question and accounts for variability in the answers (for example: "How old am 1?" is not a statistical question, but "How old are the students in my school?" is a statistical question because one anticipates variability in students' ages).  Understand that a set of data collected to answer a statistical question	6.EE.B.8	mathematical problems and problems in real-world context. Recognize that inequalities have infinitely
Find the area of right triangles, other triangles, special quadrilaterals, and polygons by composing into rectangles or decomposing into triangles and other shapes; apply these techniques to solve mathematical problems and problems in real-world context.  Find the volume of a right rectangular prism with fractional edge lengths by packing it with unit cubes of the appropriate unit fraction edge lengths, and show that the volume is the same as would be found by multiplying the edge lengths of the prism. Understand and use the formula $V = B \cdot h$ , where in this case, $B$ is the area of the base ( $B = I \times w$ ) to find volumes of right rectangular prisms with fractional edge lengths in mathematical problems and problems in real-world context.  Draw polygons in the coordinate plane given coordinates for the vertices; use coordinates to find the length of a side joining points with the same first coordinate or the same second coordinate. Apply these techniques to solve mathematical problems and problems in a real-world context.  Represent three-dimensional figures using nets made up of rectangles and triangles, and use the nets to find the surface area of these figures. Apply these techniques to solve mathematical problems and problems in real-world context.  Statistics and Probability (SP)  Recognize a statistical question as one that anticipates variability in the data related to the question and accounts for variability in the answers (for example: "How old am I?" is not a statistical question, but "How old are the students in my school?" is a statistical question because one anticipates variability in students' ages).  Understand that a set of data collected to answer a statistical question has a distribution whose general	6.EE.C.9	problems and problems in real-world context. Write an equation to express one quantity (the dependent variable) in terms of the other quantity (the independent variable). Analyze the relationship between the
rectangles or decomposing into triangles and other shapes; apply these techniques to solve mathematical problems and problems in real-world context.  Find the volume of a right rectangular prism with fractional edge lengths by packing it with unit cubes of the appropriate unit fraction edge lengths, and show that the volume is the same as would be found by multiplying the edge lengths of the prism. Understand and use the formula $V = B \cdot h$ , where in this case, $B$ is the area of the base ( $B = I \times w$ ) to find volumes of right rectangular prisms with fractional edge lengths in mathematical problems and problems in real-world context.  Draw polygons in the coordinate plane given coordinates for the vertices; use coordinates to find the length of a side joining points with the same first coordinate or the same second coordinate. Apply these techniques to solve mathematical problems and problems in a real-world context.  Represent three-dimensional figures using nets made up of rectangles and triangles, and use the nets to find the surface area of these figures. Apply these techniques to solve mathematical problems and problems in real-world context.  Statistics and Probability (SP)  Recognize a statistical question as one that anticipates variability in the data related to the question and accounts for variability in the answers (for example: "How old am 1?" is not a statistical question, but "How old are the students in my school?" is a statistical question because one anticipates variability in students' ages).  Understand that a set of data collected to answer a statistical question has a distribution whose general	Geometry (G	
appropriate unit fraction edge lengths, and show that the volume is the same as would be found by multiplying the edge lengths of the prism. Understand and use the formula $V = B \cdot h$ , where in this case, $B$ is the area of the base ( $B = I \times w$ ) to find volumes of right rectangular prisms with fractional edge lengths in mathematical problems and problems in real-world context.  Draw polygons in the coordinate plane given coordinates for the vertices; use coordinates to find the length of a side joining points with the same first coordinate or the same second coordinate. Apply these techniques to solve mathematical problems and problems in a real-world context.  Represent three-dimensional figures using nets made up of rectangles and triangles, and use the nets to find the surface area of these figures. Apply these techniques to solve mathematical problems and problems in real-world context.  Statistics and Probability (SP)  Recognize a statistical question as one that anticipates variability in the data related to the question and accounts for variability in the answers (for example: "How old am I?" is not a statistical question, but "How old are the students in my school?" is a statistical question because one anticipates variability in students' ages).  Understand that a set of data collected to answer a statistical question has a distribution whose general	6.G.A.1	rectangles or decomposing into triangles and other shapes; apply these techniques to solve mathematical
length of a side joining points with the same first coordinate or the same second coordinate. Apply these techniques to solve mathematical problems and problems in a real-world context.  Represent three-dimensional figures using nets made up of rectangles and triangles, and use the nets to find the surface area of these figures. Apply these techniques to solve mathematical problems and problems in real-world context.  Statistics and Probability (SP)  Recognize a statistical question as one that anticipates variability in the data related to the question and accounts for variability in the answers (for example: "How old am I?" is not a statistical question, but "How old are the students in my school?" is a statistical question because one anticipates variability in students' ages).  Understand that a set of data collected to answer a statistical question has a distribution whose general	6.G.A.2	appropriate unit fraction edge lengths, and show that the volume is the same as would be found by multiplying the edge lengths of the prism. Understand and use the formula $V = B \cdot h$ , where in this case, $B$ is the area of the base ( $B = I \times w$ ) to find volumes of right rectangular prisms with fractional edge lengths in mathematical problems and problems in real-world context.
find the surface area of these figures. Apply these techniques to solve mathematical problems and problems in real-world context.  Statistics and Probability (SP)  Recognize a statistical question as one that anticipates variability in the data related to the question and accounts for variability in the answers (for example: "How old am I?" is not a statistical question, but "How old are the students in my school?" is a statistical question because one anticipates variability in students' ages).  Understand that a set of data collected to answer a statistical question has a distribution whose general	6.G.A.3	length of a side joining points with the same first coordinate or the same second coordinate. Apply these
Recognize a statistical question as one that anticipates variability in the data related to the question and accounts for variability in the answers (for example: "How old am I?" is not a statistical question, but "How old are the students in my school?" is a statistical question because one anticipates variability in students' ages).  Understand that a set of data collected to answer a statistical question has a distribution whose general	6.G.A.4	find the surface area of these figures. Apply these techniques to solve mathematical problems and
accounts for variability in the answers (for example: "How old am I?" is not a statistical question, but "How old are the students in my school?" is a statistical question because one anticipates variability in students' ages).  Understand that a set of data collected to answer a statistical question has a distribution whose general	Statistics and	d Probability (SP)
$h \triangleleft P \land f$	6.SP.A.1	accounts for variability in the answers (for example: "How old am I?" is not a statistical question, but "How old are the students in my school?" is a statistical question because one anticipates variability in students' ages).
	6.SP.A.2	· · · · · · · · · · · · · · · · · · ·

6.SP.A.3	Recognize that a measure of center for a numerical data set summarizes all of its values with a single number, while a measure of variation uses a single number to describe the spread of the data set.	
6.SP.B.4	Display and interpret numerical data by creating plots on a number line including histograms, dot plots, and box plots.	
6.SP.B.5	<ul> <li>Summarize numerical data sets in relation to their context by:</li> <li>a. Reporting the number of observations.</li> <li>b. Describing the nature of the attribute under investigation including how it was measured and its units of measurement.</li> <li>c. Giving quantitative measures of center (median and/or mean) and variability (interquartile range and/or mean absolute deviation), as well as describing any overall pattern and any striking deviations from the overall pattern with reference to the context in which the data were gathered.</li> <li>d. Relating the choice of measures of center and variability to the shape of the data distribution and the context in which the data were gathered.</li> </ul>	
Standards for Mathematical Practice		
6.MP.1	Make sense of problems and persevere in solving them.	
6.MP.2	Reason abstractly and quantitatively.	
6.MP.3	Construct viable arguments and critique the reasoning of others.	
6.MP.4	Model with mathematics.	
6.MP.5	Use appropriate tools strategically.	
6.MP.6	Attend to precision.	
6.MP.7	Look for and make use of structure.	
6.MP.8	Look for an express regularity in repeated reasoning.	