

Mathematics Standards Catalina Foothills School District Grade 6

Sixth Grade: Overview

- 1. Develop competency of division of whole numbers and fractions and extend the notion of number to the system of rational numbers.
- 2. Develop understanding of ratio and rate and use multiplicative reasoning to solve ratio and rate problems.
- 3. Develop understanding of expressions, equations and inequalities.
- (1) Students develop fluency with division of whole numbers and extend their understanding to division of fractions. Students extend their previous understandings of number and the ordering of numbers to the system of rational numbers, which includes integers and negative fractions with denominators of 2, 3, 4, 5, 10. They reason about the order and absolute value of rational numbers and about the location of points in all four quadrants of the coordinate plane.
- (2) Students use multiplicative reasoning to solve ratio and rate problems. This extends their knowledge of multiplication, division, and fractions as the foundation for proportional reasoning that begins in 7th grade. Students utilize multiple types of representations to demonstrate their understanding of the relationship between two quantities represented in a ratio or rate.
- (3) Students understand the use of variables in mathematical expressions. They write expressions and equations that correspond to given situations, evaluate expressions, and use expressions and formulas to solve problems. Students understand that expressions in different forms can be equivalent, and they use the properties of operations to rewrite expressions in equivalent forms. Students know that the solutions of an equation are the values of the variables that make the equation true. Students use properties of operations and the idea of maintaining the equality of both sides of an equation to solve simple one-step equations. Students construct and analyze tables, such as tables of quantities that are in equivalent ratios, and they use equations (such as 3x = y) to describe relationships between quantities.

The Standards for Mathematical Practice complement the content standards so that students increasingly engage with the subject matter as they grow in mathematical maturity and expertise throughout the elementary, middle, and high school years.

Standards for Math 6

| Ratios and P | Ratios and Proportional Relationships (RP) | | |
|--------------|---|--|--|
| 6.RP.A.1 | Understand the concept of a ratio as comparing two quantities multiplicatively or joining/composing the two | | |
| | quantities in a way that preserves a multiplicative relationship. Use ratio language to describe a ratio | | |
| | relationship between two quantities (for example: "There were 2/3 as many men as women at the concert"). | | |
| 6.RP.A.2 | Understand the concept of a unit rate a/b associated with a ratio $a : b$ with $b \neq 0$, and use rate language | | |
| | (e.g., for every, for each, for each 1, per) in the context of a ratio relationship. (Complex fraction notation is | | |
| | not an expectation for unit rates at this grade level.) | | |
| 6.RP.A.3 | Use ratio and rate reasoning to solve mathematical problems and problems in real-world context (e.g., by | | |
| | reasoning about data collected from measurements, tables of equivalent ratios, tape diagrams, double | | |
| | number line diagrams, or equations). | | |
| | a. Make tables of equivalent ratios relating quantities with whole-number measurements, find missing | | |
| | values in the tables, and plot the pairs of values on the coordinate plane. Use tables to compare ratios. | | |
| 0.RF.A.3 | b. Solve unit rate problems including those involving unit pricing and constant speed. | | |
| | c. Find a percent of a quantity as a rate per 100 (e.g., 30% of a quantity means 30/100 times the | | |
| | quantity). Solve percent problems with the unknown in all positions of the equation. | | |
| | d. Use ratio reasoning to convert measurement units; manipulate and transform units appropriately when | | |
| | multiplying or dividing quantities. | | |
| The Number | System (NS) | | |
| | Interpret and compute quotients of fractions to solve mathematical problems and problems in real-world | | |
| | context involving division of fractions by fractions using visual fraction models and equations to represent | | |
| 6.NS.A.1 | the problem (for example: create a story context for 2/3 ÷ 3/4 and use a visual fraction model to show the | | |
| | quotient; use the relationship between multiplication and division to explain that $2/3 \div 3/4 = 8/9$ because $3/4$ | | |
| | of 8/9 is 2/3. In general, $a/b \div c/d = ad/bc$). | | |
| 6.NS.B.2 | Fluently divide multi-digit numbers using a standard algorithm. | | |
| 6.NS.B.3 | Fluently add, subtract, multiply, and divide multi-digit decimals using a standard algorithm for each | | |
| | operation. | | |
| | Use previous understanding of factors to find the greatest common factor and the least common multiple. | | |
| | a. Find the greatest common factor of two whole numbers less than or equal to 100. | | |
| 6.NS.B.4 | b. Find the least common multiple of two whole numbers less than or equal to 12. | | |
| | c. Use the distributive property to express a sum of two whole numbers 1 to 100 with a common factor as | | |
| | a multiple of a sum of two whole numbers with no common factor (for example: express 36 + 8 as | | |
| | 4(9+2)). | | |
| | Understand that positive and negative numbers are used together to describe quantities having opposite | | |
| 6.NS.C.5 | directions or values. Use positive and negative numbers to represent quantities in real-world context, | | |
| | explaining the meaning of 0 in each situation. | | |
| 6.NS.C.6 | Understand a rational number can be represented as a point on the number line. Extend number line | | |
| | diagrams and coordinate axes familiar from previous grades to represent points on the line and in the plane | | |
| | with negative number coordinates. | | |
| | a. Recognize opposite signs of numbers as indicating locations on opposite sides of 0 on the number line; | | |
| | recognize that the opposite of the opposite of a number is the number itself and that 0 is its own opposite. | | |
| | b. Understand signs of numbers in ordered pairs as indicating locations in quadrants of the coordinate | | |
| | plane; recognize that when two ordered pairs differ only by signs, the locations of the points are related | | |
| | by reflections across one or both axes. | | |
| | c. Find and position integers and other rational numbers on a horizontal or vertical number line diagram; | | |
| G NO O Z | find and position pairs of integers and other rational numbers on a coordinate plane. | | |
| 6.NS.C.7 | Understand ordering and absolute value of rational numbers. | | |

| | a. Interpret statements of inequality as statements about the relative position of two numbers on a number line. |
|---------------|--|
| | b. Write, interpret, and explain statements of order for rational numbers in real-world context. |
| | c. Understand the absolute value of a rational number as its distance from 0 on the number line; interpret |
| | absolute value as magnitude for a positive or negative quantity in real-world context. |
| | d. Distinguish comparisons of absolute value from statements about order in mathematical problems and |
| | problems in real-world context. |
| | Solve mathematical problems and problems in real-world context by graphing points in all four quadrants of |
| 6.NS.C.8 | the coordinate plane. Include use of coordinates and absolute value to find distances between points with |
| | the same first coordinate or the same second coordinate. |
| Expressions a | nd Equations (EE) |
| | Write and evaluate numerical expressions involving whole-number exponents. |
| | Write, read, and evaluate algebraic expressions. |
| | a. Write expressions that record operations with numbers and variables. |
| | b. Identify parts of an expression using mathematical terms (sum, term, product, factor, quotient, and |
| 6.EE.A.2 | coefficient); view one or more parts of an expression as a single entity. |
| 0.22.0 42 | c. Evaluate expressions given specific values of their variables. Include expressions that arise from |
| | formulas used to solve mathematical problems and problems in real-world context. Perform arithmetic |
| | operations, including those involving whole-number exponents, in the conventional order when there are |
| | no parentheses to specify a particular order (Order of Operations). |
| <u> </u> | Apply the properties of operations to generate equivalent expressions (for example: apply the distributive |
| | property to the expression $3(2 + x)$ to produce the equivalent expression $6 + 3x$). |
| 0.EE.A.4 | Identify when two expressions are equivalent (for example: the expressions y + y + y and 3y are equivalent because they name the same number regardless of which number y stands for). |
| | Understand solving an equation or inequality as a process of reasoning to find the value(s) of the variables |
| | that make that equation or inequality true. Use substitution to determine whether a given number in a |
| | specified set makes an equation or inequality true. |
| | Use variables to represent numbers and write expressions when solving mathematical problems and |
| | problems in real-world context; understand that a variable can represent an unknown number or any |
| | number in a specified set. |
| | Solve mathematical problems and problems in real-world context by writing and solving equations of the form $x + p = q$, $x = p = q$, $px = q$, and $x/p = q$ for eaces in which p , q and x are all non-negative rational. |
| | form $x + p = q$, $x - p = q$, $px = q$, and $x/p = q$ for cases in which p , q and x are all non-negative rational numbers |
| | numbers. Write an inequality of the form $x > c$, $x < c$, $x \ge c$, or $x \le c$ to represent a constraint or condition to solve |
| | mathematical problems and problems in real-world context. Recognize that inequalities have infinitely many |
| U.EE.D.0 | solutions; represent solutions of such inequalities on number lines. |
| | Use variables to represent two quantities that change in relationship to one another to solve mathematical |
| | problems and problems in real-world context. Write an equation to express one quantity (the dependent |
| 6.EE.C.9 | variable) in terms of the other quantity (the independent variable). Analyze the relationship between the |
| | dependent and independent variables using graphs and tables, and relate these to the equation. |
| Geometry (G) | |
| | Find the area of right triangles, other triangles, special quadrilaterals, and polygons by composing into |
| 6.G.A.1 | rectangles or decomposing into triangles and other shapes; apply these techniques to solve mathematical |
| | problems and problems in real-world context. |
| 6.G.A.2 | Find the volume of a right rectangular prism with fractional edge lengths by packing it with unit cubes of the |
| | appropriate unit fraction edge lengths, and show that the volume is the same as would be found by |
| | multiplying the edge lengths of the prism. Understand and use the formula $V = B \cdot h$, where in this case, B |
| | multiplying the edge lengths of the prism. Onderstand and use the formula $V = B^{-1}$, where in this case, B |

| | is the area of the base ($B = I \times w$) to find volumes of right rectangular prisms with fractional edge lengths in mathematical problems and problems in real-world context. |
|----------------|--|
| | Draw polygons in the coordinate plane given coordinates for the vertices; use coordinates to find the length |
| 6.G.A.3 | of a side joining points with the same first coordinate or the same second coordinate. Apply these |
| | techniques to solve mathematical problems and problems in a real-world context. |
| 6.G.A.4 | Represent three-dimensional figures using nets made up of rectangles and triangles, and use the nets to |
| | find the surface area of these figures. Apply these techniques to solve mathematical problems and |
| | problems in real-world context. |
| Statistics and | d Probability (SP) |
| otation of an | Recognize a statistical question as one that anticipates variability in the data related to the question and |
| | accounts for variability in the answers (for example: "How old am I?" is not a statistical question, but "How |
| 6.SP.A.1 | old are the students in my school?" is a statistical question because one anticipates variability in students' |
| | ages). |
| 6.SP.A.2 | Understand that a set of data collected to answer a statistical question has a distribution whose general |
| | characteristics can be described by its center, spread, and overall shape. |
| | Recognize that a measure of center for a numerical data set summarizes all of its values with a single |
| 6.SP.A.3 | number, while a measure of variation uses a single number to describe the spread of the data set. |
| | Display and interpret numerical data by creating plots on a number line including histograms, dot plots, and |
| 6.SP.B.4 | box plots. |
| | Summarize numerical data sets in relation to their context by: |
| | a. Reporting the number of observations. |
| | b. Describing the nature of the attribute under investigation including how it was measured and its units of |
| | measurement. |
| 6.SP.B.5 | c. Giving quantitative measures of center (median and/or mean) and variability (interquartile range and/or |
| | mean absolute deviation), as well as describing any overall pattern and any striking deviations from the |
| | overall pattern with reference to the context in which the data were gathered. |
| | d. Relating the choice of measures of center and variability to the shape of the data distribution and the |
| | context in which the data were gathered. |
| Standards fo | r Mathematical Practice |
| 6.MP.1 | Make sense of problems and persevere in solving them. |
| 6.MP.2 | Reason abstractly and quantitatively. |
| 6.MP.3 | Construct viable arguments and critique the reasoning of others. |
| 6.MP.4 | Model with mathematics. |
| 6.MP.5 | Use appropriate tools strategically. |
| 6.MP.6 | Attend to precision. |
| | Leads for and make was af atmation |
| 6.MP.7 | Look for and make use of structure. |